
This example would be useful for connecting two houses together.



- 1. The Light-O-Rama ShowTime Windows Software is used to design and run your shows. It plays the music and controls the lights.
- 2. An audio Y-connector is used to split the music from the PC's sound card so that it can be sent to two devices.
- 3. Speakers allow you to hear the music being played by the Showtime Software while it controls your lights.
- 4. A low power FM transmitter allows auto occupants to hear the music of your show. You place a lighted sign in your front yard indicating what station you are using.
- 5. The Light-O-Rama Deluxe USB to RS485 converter changes limited distance USB signaling to long distance, noise immune RS-485. It also contains a power supply for Light-O-Rama Wireless Transceivers.
  - 6. The Light-O-Rama Wireless Transceiver takes the place of the normal

RS485 cable connection. You can use it to get out of your own house and/or to allow one or more homes within 500 feet of the transmitter to run a coordinated show.

- 7. These Light-O-Rama 8-channel or 16-channel lighting controllers are locally connected (I.e. hardwired to the controlling PC.) Total length of all interconnecting cables is up to 4000 feet.
- 8. These are the 8 or 16 power feeds (depending upon controller model) that you connect to your lines of lights. Remember, each channel (or power feed) is independently controlled and can be changed very rapidly.
- 9. This Wireless Transceiver is receiving commands from Transceiver (6) and is powered by the controller to which it is connected.
- 10. These controllers are being controller via a wireless link, they may be in your yard or a neighbor's yard.